

積算温度による収穫適期早見表（下関アメダス）

2013. 9. 4 現在

収穫 適期	新潟次郎						五百万石						こしいぶき				こがねもち					コシヒカリ					コシヒカリ				
	7/18	7/19	7/20	7/21	7/22	7/23	7/24	7/25	7/26	7/27	7/28	7/29	7/30	7/31	8/1	8/2	8/3	8/4	8/5	8/6	8/7	8/8	8/9	8/10	8/11	8/12	8/13	8/14	8/15	8/16	
8/22	864	843	822	799	776																										
8/23	886	865	844	821	797	774	751																								
8/24	910	888	868	844	821	798	775	750																							
8/25	932	911	890	867	844	821	797	773	747																						
8/26	955	934	913	890	867	844	820	796	770	746																					
8/27	978	957	936	913	890	866	843	819	793	769	745																				
8/28	999	978	957	934	911	888	864	840	814	790	767	744																			
8/29	1022	1001	980	957	934	910	887	863	837	813	789	767	743																		
8/30	1047	1026	1005	982	958	935	912	888	862	838	814	792	768	744																	
8/31	1052	1031	1008	985	961	938	914	888	864	840	818	794	770	745																	
9/01	1054	1030	1007	984	961	937	910	886	863	841	817	792	768	745																	
9/02	1052	1029	1005	982	958	932	908	884	862	838	814	789	766	744																	
9/03	1053	1029	1006	982	956	932	908	886	862	838	813	790	768	745																	
9/04	1055	1032	1008	982	958	935	912	888	864	840	816	794	771																		
9/05	1055	1031	1005	981	958	935	911	887	863	839	817	794	768																		
9/06	1054	1028	1004	980	958	934	910	885	862	840	817	791	766																		
9/07	1050	1026	1003	980	957	932	908	885	862	839	814	788	763																		
9/08	1049	1025	1003	979	955	930	907	885	862	836	811	785	759																		
9/09	1047	1025	1001	977	953	929	907	884	858	833	807	781	754																		
9/10	1047	1023	999	974	951	929	906	880	855	829	803	776																			
9/11	1045	1020	996	973	951	927	902	876	851	825	798	770																			
9/12	1042	1018	994	972	949	923	898	872	846	819	791	764																			
9/13	1039	1016	993	970	945	919	894	868	841	813	785	758																			
9/14	1060	1037	1014	991	966	940	915	889	862	834	806	779																			
9/15	1058	1035	1012	987	961	936	910	883	855	827	800	776																			
9/16	1056	1033	1010	985	959	933	906	879	851	823	795	771																			
9/17	1057	1034	1011	986	960	934	907	880	852	824	796	772																			
9/18	1057	1034	1011	986	960	934	907	880	852	824	796	772																			
9/19	1057	1034	1011	986	960	934	907	880	852	824	796	772																			
9/20	1057	1034	1011	986	960	934	907	880	852	824	796	772																			
9/21	1082	1057	1031	1004	976	948	922	897	872	845	819																				
9/22	1076	1050	1023	995	967	941	916	891	865	839																					
9/23	1095	1070	1042	1014	987	960	935	910	884	858																					
9/24	1089	1061	1033	1006	979	954	929	903	877																						
9/25	1080	1052	1024	998	973	948	922	895																							
9/26	1071	1043	1016	992	966	940	914																								
9/27	1061	1035	1010	985	958	932	906	880	854	828	802	776																			

積算温度による収穫適期(下関版)

	出穂期	収穫適期予想
新潟次郎	975℃ (7/22)	→ 8/31)
五百万石	975℃ (7/25)	→ 9/3)
こしいぶき	975℃ (7/30)	→ 9/8)
こがねもち	1,000℃ (8/3)	→ 9/14)
コシヒカリ	1,000℃ (8/9)	→ 9/21)

出穂期とは？ほ場全体で40～50%出穂した日

表右上現在まで本年、以降は平年値を代入

注意!!
 ○登熟後半が高温条件となり、籾水分の低下が早く、立毛胴割れが懸念される場合は、表の目安より50℃(2日)程度刈り取りを早めましょう。