

令和 6年度

積算材料調書

(工事名) 脱炭工第6号 関川村村民会館省エネ改修(高効率空調設備更新)工事

材 料 調 書 (配管)

工事種目

[凡例] イ:隠ぺい ロ:屋内露出 ソロ:屋外露出 マ:屋内埋設 ソマ:屋外埋設
 ピ:ピット内 パ:パイプスペース内 コ:コンクリート内

図面 番号	棟分け	工事種目	名 称	場 所	サイズ	保温施工区分	計 (m)	長 さ (m)																										
M07	体育館							ACP-1	ACP-1	ACP-2	ACP-3																							
	1F		冷媒用断熱材被覆銅管		φ6.4	液管		1.8	0.7	1.6	0.2	1.8	1.8	0.3	0.5	0.2	1.8	2.7	0.2	0.4	0.2	0.2	1.8	2.7	2.2	0.6	1.8	23.5						
	(新設)		屋内一般・屋外架空					ACP-4	ACP-5	ACP-6	CH-1																							
								0.6	0.7	1.8	0.6	0.6	0.8	4.9	1.8	0.5	0.5	2.4	1.8	0.3	1.8	0.2												19.3
			冷媒用断熱材被覆銅管		φ9.5	ガス管		ACP-1	ACP-2	ACP-3																								
			屋内一般・屋外架空					0.3	0.2	0.3	0.9	1.6	0.2	0.3	2.5	1.8	0.2	0.3	1.8	0.2	0.2												10.8	
								ACP-1																										
								0.3	0.2	0.3	0.9	1.6	0.2												3.5									
			冷媒用断熱材被覆銅管		φ12.7	ガス管		ACP-1	ACP-1	ACP-2	ACP-3																							
			屋内一般・屋外架空					1.8	0.7	1.6	0.2	1.8	1.8	0.3	0.5	0.2	1.8	2.7	0.2	0.4	0.2	0.2	1.8	2.7	2.2	0.6	1.8	23.5						
								ACP-4	ACP-5	ACP-6																								
								0.6	0.7	1.8	0.6	0.6	0.8	4.9	1.8	0.5	0.5	2.4	1.8												17.0			
			電源ケーブル																															
			EM-EEF1.6-3C					23.5	19.3	10.8	3.5	23.5	17.0													97.6								
			制御ケーブル					ACP-1	ACP-2	ACP-3																								
			EM-CEE1.25-2C					0.3	1.5	2.6	1.5	0.3	3.4	2.6	1.5	1.0	1.8	1.5	1.0	1.8	1.5												22.3	
								ACP-4	ACP-5	ACP-6																								
								0.2	1.2	0.9	1.0	1.2	0.7	1.0	0.4	2.2	1.0												9.8					

